



ABOUTBLU/ANATOMIC

SAFE KNIT

LE MANS MARINE

51376 28LA

S3L FO SR ESD DGUV 112-191 EN ISO 20345:2022

TECH SOFT

FEATURES

ANTISTATIC FOOTWEAR

ANTIPERFORATION MIDSOLE

PLUS

TECHNOLOGIES

TOE CAP

BREATHABLE UPPER

	Water-repellent and breathable polyester jacquard fabric. Cut resistant, anti-fraying, rip and abrasion resistant. Anti-abrasion scuff-cap. Normal laces extra	UPPER
	PLASMAFEEL Lining in 3D fabric that keeps the foot constantly cool and dry thanks to the instantaneous absorption of sweat and its immediate dispersion outside of the shoe. Breathable, antibacterial, resistant to wear and abrasion.	LINING
SHOCK ABSORPTION IN THE HEEL	TECHSOFT Thermoformed. Runproof, multi-layered, antistatic latex-foam fabric, that is antibacterial, breathable and absorbent with anti-fungus activated carbons. Shock absorbing heel and plantar arch support.	INSOLE
NO MARKING SOLE	PU / PU DUAL DENSITY BASF PUR Elastopan® polyurethane foam insole, ensures the maximum comfort and the absorption of the impact on all surfaces. Outsole, with an elevated grip, resistant to wear, oils and hydrocarbons. System of energy absorption on the heel.No marking sole	SOLE
WATER-REPELLENT UPPER	ANATOMIC SOLE The anatomical shape of the injected sole, unlike removable insoles, is inalterable for the entire lifetime of the shoe. The Anatomic sole, following the natural morphology of the foot, provides a natural support to all its points, ensuring maximum comfort	LAST
METAL METAL TEC	POWER CAP is in multilayer fiberglass and rubber particulate. It stands out for its robustness and lightness, guaranteeing a shock absorption up to a max. 200 Joules. Being metal-free is is undetactable by a meta detector, and helps to maintain a constant body temperature. It provides maxmum safety even at extreme temperatures above and below zero, providing a thermal insulation that is better than aluminum or steel toe-caps. It exceeds the EN-ISO12568 requirements.	TOE CAP
E ANTHERSKI	TEXON ENIGMA ZERO HT2 Non-metallic antistatic, flexible, anti-perforation fabric insole, built with several layers of high-tenacity fibres. It ensures perfect thermal insulation Compliant with: EN 12568:2012; EN ISO 20344/345; CSA-Z195-14; ASTM F2413-18	MIDSOLE
ESW POSHA	tion mideale and mideale, at the arch of the toot. It improves stability on stairs, where	ANTI-TORSION SUPPORT
Q ASMAFER	SILVER STRIP DISCHARGE (SSD) Conductive cotton tape with silver threads, positioned inside the upper and in direct contact with the foot. It is an extra Anti-static device, increasing and stabilizing the dispersive capacity throughout the life of the shoe.	ANTI-STATIC DEVICE



WEIGHT SIZE 42 580 gr

SIZE 35-49